









Superior Series: Edge Bander Machine F465J


Corner rounding machine



Units Standard :

							
Buffing	Scraping	Corner Trim	Fine Trim	End-cutting	Gluing	Pre-milling	

Superior Series: Edge Bander Machine Product Details **EBF465J**



Body Frame

- Cut by laser




Strengthen

- Strengthen the Pre-milling device




Touch Screen

- HMI (Human machine interface)
- User friendly control



Safety switch

- Oversize panels



Tape Real

- Three roller to reduce friction



Tape real adjuster



Pressure zone



Pre-milling Unit

- 2 x .75KW



Encoder

- Encoder Control track speed




Front and rear snipping unit

- 2 x 0.37KW
- Motor angle can be adjusted




Fine Trim Unit

- 90°R diamond cutter



Top and bottom scraper



Corner rounding unit

- Two motor system



Top and bottom buffers

Superior Series : Edge Banding Machine Series-Main Technical Data

Machine		F465J
Motor Power	KW	13.15
Overall Size (L*W*H)	mm	5900*760*1600
Feeding Speed	m/min	0-23
Panel Width	mm	≥50
Panel Thickness	mm	8-50
Edge Band Width	mm	10-65
Edge Band Thickness	mm	0.4-3
Working Pressure	Mpa	0.7